

## VINYL CATALOGUE LVT



LVT Series is inspired by nature. Elegantly designed and expertly constructed, it redefines vinyl flooring for modern homes with an exceptionally realistic timber finish.


#### **REALISTIC AND VIVID**

**Texture**Classical aesthetics, deep embossed, three-dimensional effect

**Color** Natural, elegant, precise, smooth



#### PRODUCT STRUCTURE



- ▶ Top UV coating, anti-bacterium, easy to maintain, no waxing needed
- ▶ Latest calendering technology helps to strengthen the product stability
- Diamond crystal bits added in the top coating which increases the scratchability
- ▶ True-colour printing technology that brings the natural timber look to the maximum

### **QUALITY LIES IN THE DETAILS**
























## TAKE YOUR PICK!

Choose from 13 nature-inspired shades that are bound to match the style of your ideal interior.

▶ Shade and design variation

▶ Size: 180mm x 1220mm x 5mm





## **DAILY MAINTENANCE**

#### **Best Practices for Preventing Damage**

- Spills should be cleaned up immediately.
- Clean the floor with nonabrasive floor cleaner.
- Never push, pull, or drag furniture across vinyl floors. Always lift and carry.
- Heavy furniture or appliances that are not moved often should be equipped with flat, non-staining floor protectors.
- Avoid using a vacuum with a beater bar.
- For spot stain treatment, use a diluted bleach solution that is 5% bleach, 95% water.
- Avoid flooding the floor

# FLOOR PROTECTION & INITIAL MAINTENANCE

- 1 Following installation and cleanup, protect vinyl tile by laying sheets of breathable brown cardboard paper over the flooring and then a layer of plywood sheets. Leave them on until the work of trades have been completed. \*\*It is advisable to have installation done after all trades have been completed.
- 2 Allow the adhesive to dry for 24 hours before any traffic or furniture set foot on your vinyl floor.
- 3 Do not, at any time during the initial maintenance or thereafter, flood the floor with water or maintenance solutions

## **EXTRA PROTECTION**

Invest in high-quality floor mats for an extra layer of protection. Place the mats at entrances and exits to collect and trap corrosive substances that can be tracked in, such as dirt, sand, oil, grit, asphalt, and even driveway sealer.

#### **HUP KIONG**

**Defu Showroom** (Main Office)

11 Defu Lane 9 Singapore 539253

Tel: 6382 2626 | Fax: 6382 8950

#### **Balestier Showroom**

564 Balestier Road Singapore 329880 Tel: 6899 2626 | Fax: 6256 7422

⊠ sales@hupkiong.com

mww.hupkiong.com